

PART A - SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product identifier	AIRDROP A
Other means of identification	None
Recommended use and restrictions on use	Construction product / Refer to technical information
Initial supplier identifier	Meghan's Supply & Design // BallistiX 11720Main St Suite 120, Fredericksburg, VA 22408, United States +1540-940-6698
Emergency telephone number/restriction on use	USA - INFOTRAC - 24 Hour Number: 1-800-535-5053

SECTION 2 - HAZARD IDENTIFICATION

Classification of hazardous product (name of the category or subcategory of the hazard class)	Skin irritation (category 2) Eye irritation (category 2A) Skin sensitization (category 1) Acute toxicity inhalation (Category 4) Respiratory sensitization (category 1) Specific target organ toxicity - Single exposure (Category 3) Hazardous to the aquatic environment -Chronic (Category 3)
--	--

Information elements
(symbols, signal words, hazard statements and precautionary statements of the category/subcategory)



DANGER

H315 Causes skin irritation
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long-lasting effects

P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P284 Wear respiratory protection. P302 +P352 IF ON SKIN: wash with plenty of water. P333 +P313 IF SKIN irritation or rash occurs: Get medical attention. P362 +P364 Take off contaminated clothing and wash it before reuse. P304 +P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a doctor. P342 +P311 If experiencing respiratory symptoms: Call a doctor. P305 +P351 +P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 +P313 IF eye irritation persists: Get medical attention. P403 +P233 Store in a well-ventilated place. Keep container tightly closed. P391 Collect spillage. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other Hazards Known None

PART A - SAFETY DATA SHEET

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name (common name/synonyms)	CAS NUMBER or other	Concentration (%)
Cycloaliphatic diamine	136210-30-5	25-50
Cycloaliphatic diamine	136210-32-7	25-50
4-methyl-1,3-dioxolane-2-one	108-32-7	1-10

All ingredients are listed according to OSHA (29 CFR).

* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).

SECTION 4 - FIRST AID MEASURES

Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.
Skin contact	IF ON SKIN: wash with plenty of water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue rinsing.
Most important symptoms and effects (acute and delayed)	Causes severe skin, respiratory or digestive tract burns and eye damage.
Indication of immediate medical attention/special treatment	In all cases, call a doctor. Do not forget this document.

SECTION 5 - FIREFIGHTING MEASURES

Specific hazards of the hazardous product (hazardous combustion products)	Carbon oxides and other irritant/toxic gases and fumes.
Suitable and unsuitable extinguishing media	In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.
Special protective equipment and precautions for fire-fighters	During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Absorb spillage to prevent material damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).
Methods and materials for containment and cleaning up	Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

PART A - SAFETY DATA SHEET

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling	<p>Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapors or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.</p>
Conditions for safe storage, including any incompatibilities	<p>Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.</p>

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters (biological limit values or exposure limit values and source of those values)	<p>Exposure limits: None;</p>
Appropriate engineering controls	<p>Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.</p>
Individual protection measures/personal protective equipment	<p>Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.</p>

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance / color	Clear liquid	vapor pressure	Not available
odor	Characteristic	vapor density	Not available
odor threshold	Not available	Relative density	1.069 (g/ml)
pH	Not available	Solubility	Not available
Melting point / Freezing point	Not available	Partition coefficient of n-octanol/water	Not available
Initial boiling point/ranges	Not available	Auto-ignition temperature	Not available
Flash point	>212°F (100°C)	Decomposition temperature	Not available
Evaporation rate	Not available	Viscosity	500 –600 cps
Flammability (solid, gas)	Not available	VOC	<40 g/L
Upper/Lower flammability or explosive limits	Not available	Other	None know

PART A - SAFETY DATA SHEET

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Does not react under the recommended storage and handling conditions prescribed.
Chemical Stability	Stable under the recommended storage and handling conditions prescribed.
Possibility of hazardous reactions	None known
Conditions to avoid (static discharge, shock or vibration)	None known
Incompatible materials	Oxidizing materials; etc.
Hazardous decomposition products	None known

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; Respiratory tract irritation, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.
Delayed and immediate effects (chronic effects from short-term and long-term exposure)	Skin Sensitization - Possible; Respiratory Sensitization - Possible; Germ Cell Mutagenicity - No data available; Carcinogenicity - No ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity - No data available; Specific Target Organ Toxicity - Single Exposure - Possible; Specific Target Organ Toxicity - Repeated Exposure - No data available; Aspiration Hazard - No data available; Health Hazards Not Otherwise Classified - No data available.
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)	None;

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial information)	No data available for this product
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available.
Other adverse effects	No data available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Information on safe handling for disposal/methods of disposal/contaminated packaging
 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

SECTION 14 - TRANSPORT INFORMATION

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations:
 NOT REGULATED

UN Number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime):
 NOT REGULATED

UN Number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air):
 NOT REGULATED

Special Precautions (transport/conveyance): None known

Environmental hazards (IMDG or other): None known

Bulk transport (usually more than 450L in capacity): Possible

PART A - SAFETY DATA SHEET

SECTION 15 – REGULATORY INFORMATION

Safety/health regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
Environmental regulations specifics	Refer to Section 3 for ingredient(s) of the DSL
Safety/health/environmental outside regulations specifics	United States OSHA information: This product is regulated according to OSHA (29 CFR).
Bioaccumulative potential	United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.
National Fire Protection Association (NFPA)	HEALTH: 2 FLAMMABILITY: 1 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3. HAZARD SCALE: 0 =Minimal 1 =Slight 2 =Moderate 3 =Serious 4 =Severe

SECTION 16 – OTHER INFORMATION

Date of the latest revision of the safety data sheet	June 8, 2022 version 2
Corrections	SDS Template modifications
References	Safety Data Sheets from manufacturer/supplier
Abbreviations	<p>ACGIH American Conference of Governmental Industrial Hygienists</p> <p>ATE Acute toxicity estimate</p> <p>CAS Chemical Abstract Service</p> <p>DSL Domestic Substance List</p> <p>IARC International Agency for Research on Cancer</p> <p>IATA International Air Transport Association</p> <p>IMDG International Maritime Dangerous Goods Code</p> <p>LC Lethal concentration</p> <p>LD Lethal Dosage</p> <p>NIOSH National Institute for Occupational Safety and Health</p> <p>NTP National Toxicology Program (U.S.A.)</p> <p>OSHA Occupational Safety and Health Administration (U.S.A.)</p> <p>PEL Permissible Exposure Limit</p> <p>STEL Short-term Exposure Limit</p> <p>TDG Transport of dangerous goods</p> <p>TLV Threshold Limit Value</p> <p>TSCA Toxic Substances Control Act</p> <p>TWA Time Weighted Average</p> <p>WH- Workplace Hazardous Materials Information System</p> <p>MIS</p>

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

PART B - SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product identifier	AIRDROP B
Other means of identification	None
Recommended use and restrictions on use	Construction product / Refer to technical information
Initial supplier identifier	Meghan's Supply & Design // BallistiX 11720 Main St Suite 120, Fredericksburg, VA 22408, United States +1540-940-6698
Emergency telephone number/restriction on use	USA - INFOTRAC - 24 Hour Number: 1-800-535-5053

SECTION 2 - HAZARD IDENTIFICATION

Classification of hazardous product (name of the category or subcategory of the hazard class)	Flammable liquid (Category 3) Skin irritation (category 2) Eye irritation (category 2A) Skin sensitization (category 1) Acute toxicity inhalation (Category 4) Respiratory sensitization (category 1) Specific target organ toxicity - Single exposure (Category 3) Reproductive toxicity (Category 1)
--	---

Information elements
(symbols, signal words, hazard statements and
precautionary statements of the category/subcategory)



H226 Flammable liquid and vapor.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H332 Harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H360 May damage fertility or the unborn child.

P210 Keep away from heat/sparks/open flames/ hot surfaces. No smoking. **P202** Do not handle until all safety precautions have been read and understood. **P210** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. **P240** Ground and bond container and receiving equipment. **P241** Use explosion-proof equipment. **P242** Use non-sparking tools. **P243** Take action to prevent static discharges. **P261** Avoid breathing dust/fume/gas/mist/vapors/spray. **P264** Wash hands/nails/face thoroughly after handling. **P271** Use only outdoors or in a well-ventilated area. **P272** Contaminated work clothing should not be allowed out of the workplace. **P280** Wear protective gloves/protective clothing/eye protection/face protection. **P284** Wear respiratory protection. **P303 +P361 +P353** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. **P302 +P352** IF ON SKIN: wash with plenty of water. **P333 +P313** IF SKIN irritation or rash occurs: Get medical attention. **P362 +P364** Take off contaminated clothing and wash it before reuse. **P304 +P340** IF INHALED: Remove person to fresh air and keep comfortable for breathing. **P310** Immediately call a doctor. **P342 +P311** If experiencing respiratory symptoms: Call a doctor. **P305 +P351 +P338** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **P337 +P313** IF eye irritation persists: Get medical attention. **P308 +P313** IF exposed or concerned: Get medical attention. **P370 +P378** In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. **P403 +P233 +P235** Store in a well-ventilated place. Keep container tightly closed. Keep cool. **P405** Store locked up. **P501** Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other Hazards Known None

PART B - SAFETY DATA SHEET

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name (common name/synonyms)	CAS NUMBER or other	Concentration (%)
Homopolymer of HDI	28182-81-2	60-100
Hexamethylene diisocyanate	822-06-0	< 0.5
2-Xylene	1330-20-7	<=25
2-Methoxypropylacetate	70657-70-4	< 2

All ingredients are listed according to OSHA (29 CFR).

* Statement – This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).

SECTION 4 – FIRST AID MEASURES

Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.
Ingestion	IF SWALLOWED: rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having ingestion convulsions. Immediate medical attention required.
Skin contact	IF ON SKIN: wash with plenty of water (15–20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15–20). Remove contact lenses, if present and easy to do. Continue rinsing.
Most important symptoms and effects (acute and delayed)	Causes skin irritation. Causes serious eye irritation.
Indication of immediate medical attention/special treatment	In all cases, call a doctor. Do not forget this document.

SECTION 5 – FIREFIGHTING MEASURES

Specific hazards of the hazardous product (hazardous combustion products)	Carbon oxides and other irritant/toxic gases and fumes.
Suitable and unsuitable extinguishing media	In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.
Special protective equipment and precautions for fire-fighters	During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Absorb spillage to prevent material damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).
Methods and materials for containment and cleaning up	Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

PART B - SAFETY DATA SHEET

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling	Wear protective gloves/ protective clothing/ eye protection/ face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapors or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.
Conditions for safe storage, including any incompatibilities	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters (biological limit values or exposure limit values and source of those values)	Exposure limits: CAS 822-06-0ACGIH – TLV-TWA 0.005 ppm;
Appropriate engineering controls	Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.
Individual protection measures/personal protective equipment	Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance / color	Clear liquid	vapor pressure	Not available
odor	Characteristic	vapor density	Not available
odor threshold	Not available	Relative density	1.15 g/ml
pH	Not available	Solubility	Insoluble
Melting point / Freezing point	Not available	Partition coefficient of n-octanol/water	Not available
Initial boiling point/ranges	>208°F (98°C)	Auto-ignition temperature	Not available
Flash point	>107°F (42°C) Closed cup	Decomposition temperature	Not available
Evaporation rate	Not available	Viscosity	Not available
Flammability (solid, gas)	Flammable	VOC	Not available
Upper/Lower flammability or explosive limits	Not available	Other	None know

PART B - SAFETY DATA SHEET

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Does not react under the recommended storage and handling conditions prescribed.
Chemical Stability	Stable under the recommended storage and handling conditions prescribed.
Possibility of hazardous reactions	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Conditions to avoid (static discharge, shock or vibration)	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Incompatible materials	Oxidizing materials; etc.
Hazardous decomposition products	None known

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May damage fertility or the unborn child.
Symptoms related to the physical, chemical and toxicological characteristics	Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; Respiratory tract irritation, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.
Delayed and immediate effects (chronic effects from short-term and long-term exposure)	Skin Sensitization - Possible; Respiratory Sensitization - Possible; Germ Cell Mutagenicity - No data available; Carcinogenicity - No ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity - Possible; Specific Target Organ Toxicity - Single Exposure - Possible; Specific Target Organ Toxicity - Repeated Exposure - No data available; Aspiration Hazard - No data available; Health Hazards Not Otherwise Classified - No data available.
Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)	CAS 28182-81-2 LC ₅₀ Inhalation -Rat -4 h - 400-425 mg/m ³ ; CAS 822-06-0 LC ₅₀ Inhalation -Rat -4 h - 310-350 mg/m ³ ; CAS 108-65-6 LD ₅₀ Oral -Rat 8532 mg/kg; ATE not available in this document.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial information)	No data available for this product
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available.
Other adverse effects	No data available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Information on safe handling for disposal/methods of disposal/contaminated packaging
Dispose of contents/container into safe container in accordance with local, regional or national regulations.

SECTION 14 - TRANSPORT INFORMATION

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations:
NOT REGULATED by ground in accordance with TDG.

UN Number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime):
UN1263; PAINT RELATED MATERIAL; CLASS 3; PG III

UN Number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air):
UN1263; PAINT RELATED MATERIAL; CLASS 3; PG III

Special Precautions (transport/conveyance): May also be shipped as a LIMITED QUANTITY in accordance with TDG.

Environmental hazards (IMDG or other): None known

Bulk transport (usually more than 450L in capacity): Possible

PART B - SAFETY DATA SHEET

SECTION 15 – REGULATORY INFORMATION

Safety/health regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
Environmental regulations specifics	Refer to Section 3 for ingredient(s) of the DSL
Safety/health/environmental outside regulations specifics	United States OSHA information: This product is regulated according to OSHA (29 CFR).
Bioaccumulative potential	United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.
National Fire Protection Association (NFPA)	HEALTH: 2 FLAMMABILITY: 2 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3. HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

SECTION 16 – OTHER INFORMATION

Date of the latest revision of the safety data sheet	June, 8 2022 version 2
Corrections	SDS Template modifications
References	Safety Data Sheets from manufacturer/supplier
Abbreviations	<p>ACGIH American Conference of Governmental Industrial Hygienists</p> <p>ATE Acute toxicity estimate</p> <p>CAS Chemical Abstract Service</p> <p>DSL Domestic Substance List</p> <p>IARC International Agency for Research on Cancer</p> <p>IATA International Air Transport Association</p> <p>IMDG International Maritime Dangerous Goods Code</p> <p>LC Lethal concentration</p> <p>LD Lethal Dosage</p> <p>NIOSH National Institute for Occupational Safety and Health</p> <p>NTP National Toxicology Program (U.S.A.)</p> <p>OSHA Occupational Safety and Health Administration (U.S.A.)</p> <p>PEL Permissible Exposure Limit</p> <p>STEL Short-term Exposure Limit</p> <p>TDG Transport of dangerous goods</p> <p>TLV Threshold Limit Value</p> <p>TSCA Toxic Substances Control Act</p> <p>TWA Time Weighted Average</p> <p>WH-MIS Workplace Hazardous Materials Information System</p>

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.