

SAFETY DATA SHEET (SDS)

SECTION 1 - IDENTIFICATION

Product identifier	RAPID FIRE B
Other means of identification	None
Recommended use and restrictions on use	Construction product / Refer to technical information
Initial supplier identifier	Meghan's Supply & Design // BallistiX 11720 Main St Suite 120, Fredericksburg, VA 22408, United States +1 540-940-6698
Emergency telephone number/restriction on use	Canada – CANUTEC 24 hour number 613-996-6666

SECTION 2 - HAZARD IDENTIFICATION

Classification of hazardous product

(name of the category or subcategory of the hazard class)

Acute toxicity oral (Category 4)
Skin corrosion (Category 1)
Serious eye damage (Category 1)

Skin sensitization (Category 1) Reproductive toxicity (Category 2)

Hazardous to the aquatic environment – Acute (Category 1) Hazardous to the aquatic environment – Chronic (Category 1)

Information elements

(symbols, signal words, hazard statements and precautionary statements of the category/subcategory)









DANGER

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H361 Suspected of damaging fertility or the unborn child

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

P201 Obtain special instructions before use. P260 Do not breathe dusts or mists. P264 Wash hands/nails/face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P312 Call a doctor if you feel unwell. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P363 Wash contaminated clothing before reuse. P332 + P313 IF SKIN irritation or rash occurs: Get medical attention. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a doctor. P308 + P313 IF exposed or concerned: Get medical attention. P391 Collect spillage. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other Hazards Known

None

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name (common name/synonyms)	CAS NUMBER or other	Concentration (%)
Epoxy adduct	Secret	10-30
Isophorone diamine	2855-13-2	10-30
Benzyl alcohol	100-51-6	1-10
Nonylphenol	84852-15-3	10-30
Poly(propylene glycol) bis(2-aminopropyl ether)	9046-10-0	20-40
Amine curing agent	Mixture	35-55

All ingredients are listed according to OSHA (29 CFR).

SECTION 4 - FIRST AID MEASURES

Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.		
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.		
Skin contact	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). Wash contaminated clothing before reuse.		
Eye contact	IF IN EYES, Rinse cautiously do. Continue rinsing.	with water for several minutes (15-20). Remove contact lenses, if present and easy to	
Most important (acute and delayed	symptoms and effects)	Causes severe skin, respiratory or digestive tract burns and eye damage.	
Indication of impattention/special	mediate medical al treatment	In all cases, call a doctor. Do not forget this document.	

SECTION 5 - FIREFIGHTING MEASURES

Specific hazards of the hazardous product (hazardous combustion products)	Carbon oxides and other irritant/toxic gases and fumes.
Suitable and unsuitable extinguishing media	In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.
Special protective equipment and precautions for fire-fighters	During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions,	Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-
protective equipment	up. Ensure clean-up is conducted by trained personnel only. All persons dealing
and emergency procedures	with clean-up should wear the appropriate protective equipment (See Section 8).
Methods and materials for containment and cleaning up	Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

RAPID FIRE B | 2022/06/20 2/5

^{*} Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

storage, including any incompatibilities

Conditions for safe Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters (biological limit values or exposure limit values and source of those values)	Exposure limits: None known
Appropriate engineering controls	Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.
Individual protection measures/personal protective equipment	Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance / color	Yellow liquid	Vapour pressure	Not available
Odour	Characteristic	Vapour density	Not available
Odour threshold	Not available	Not available Relative density	
pH	Not available (alkaline)	Solubility	Not available
Melting point / Freezing point	Not available	Partition coefficient of n-octanol/water	Not available
Initial boiling point/ranges	Not available	Auto-ignition temperature	Not available
Flash point	> 199.4°F (93°C)	Decomposition temperature	Not available
Evaporation rate	Not available	Viscosity	200 - 400 cps
Flammability (solid, gas)	Not available	voc	Not available
Upper/Lower flammability or explosive limits	Not available	Other	None know

RAPID FIRE B | 2022/06/20

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Does not react under the recommended storage and handling conditions prescribed.
Chemical Stability	Stable under the recommended storage and handling conditions prescribed.
Possibility of hazardous reactions	None known
Conditions to avoid (static discharge, shock or vibration)	None known
Incompatible materials	Oxidizing materials; Acids; etc.
Hazardous decomposition products	None known

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.
Symptoms related to the physical, chemical and toxicological characteristics	Skin burn, redness, stinging, pain; Eye burn, redness, tearing; Digestive tract burn; Respiratory tract burn, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.
Delayed and immediate effects (chronic effects from short-term and long-term exposure)	Skin Sensitization – Possible; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – Possible; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.
Numerical measures of toxicity (ATE; $\mathrm{LD_{50}}\ \&\ \mathrm{LC_{50}})$	CAS 100-51-6 $\rm LD_{50}$ Oral - Rat - 1230 mg/kg; CAS 9046-10-0 $\rm LD_{50}$ Oral - Rat - 242 mg/kg; $\rm LD_{50}$ Dermal - Rabbit - 360 mg/kg; CAS 2855-13-2 $\rm LD_{50}$ Oral - Rat - 1030 mg/kg; CAS 84852-15-3 $\rm LD_{50}$ Oral - Rat - 1246 mg/kg & $\rm LD_{50}$ Dermal - Rabbit - 2040 mg/kg;
	ATE not available in this document.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial information)	No data available for this product
Persistence and degradability	No data available
Bioaccumulative potential	No data available.
Mobility in soil	No data available
Other adverse effects	Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

SECTION 14 - TRANSPORT INFORMATION

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations:

UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine, Nonylphenol); CLASS 8; PG III

UN Number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime):

UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine, Nonylphenol); CLASS 8; PG III

UN Number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air):

UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine, Nonylphenol); CLASS 8; PG III

Special Precautions (transport/conveyance): May also be shipped as a LIMITED QUANTITY in accordance with TDG.

Environmental hazards (IMDG or other): Marine Pollutant

Bulk transport (usually more than 450L in capacity): Possible

RAPID FIRE B | 2022/06/20

SECTION 15 - REGULATORY INFORMATION

Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).		
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL		
Safety/health/environmental	United States OSHA information: This product is regulated according to OSHA (29 CFR).		
outside regulations specifics Bioaccumulative potential	United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.		
	United States TCSA information: Refer to the ingredients listed in Section 3.		
National Fire Protection Association (NFPA)	HEALTH: 3 FLAMMABILITY: 1 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3.		
	HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe		

SECTION 16 - OTHER INFORMATION

Date of the latest revision of the safety data sheet	June 20, 2022 version 2		
Corrections	SDS Temp	plate modifications	
References	Safety Da	ta Sheets from manufacturer/supplier	
Abbreviations	ACGIH ATE CAS DSL IARC IATA IMDG LC LD NIOSH NTP OSHA PEL STEL TDG TLV TSCA TWA WHMIS	American Conference of Governmental Industrial Hygienists Acute toxicity estimate Chemical Abstract Service Domestic Substance List International Agency for Research on Cancer International Air Transport Association International Maritime Dangerous Goods Code Lethal concentration Lethal Dosage National Institute for Occupational Safety and Health National Toxicology Program (U.S.A.) Occupational Safety and Health Administration (U.S.A.) Permissible Exposure Limit Short-term Exposure Limit Transport of dangerous goods in Canada Threshold Limit Value Toxic Substances Control Act Time Weighted Average Workplace Hazardous Materials Information System	

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

RAPID FIRE B | 2022/06/20 5/5